



Safety Data Sheet

GHS Compliant

SDS No. MCKPA

Section 1 - Identification

- 1.1 Product Identifier:** Monster Cast Kit Part A
- 1.2 General Use:** Polyurethane Elastomer
- 1.3 Manufacturer:** The Monster Makers, Inc.,
13597 West Parkway Rd., Cleveland, OH 44135
Phone: (216) 671-8700
sales@monstermakers.com
- 1.4 Emergency Contact:** Chem-Tel
Domestic: 800-255-3924 International 813-248-0585

Section 2 - Hazards

- 2.1 Classification of the substance or mixture**
- Skin Corrosion/Irritation – Category 2, H315
Eye Damage/ Irritation – Category 2B, H320
Acute Toxicity, Inhalation – Category 4, H332
Respiratory Sensitization – Category 1, H334
Specific Target Organ Toxicity-Single Exposure – Category 3 (respiratory), H335
Carcinogenicity – Category 2, H351
Specific Target Organ Toxicity-Repeat Exposure – Category 2 (respiratory), H373
- 2.2 GHS Label elements, including precautionary statements**



Pictograms:

Signal Word: DANGER

General :

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs (olfactory organs) through prolonged or repeated exposure (inhalation)
P101	If medical advice is needed, have product container or label at hand
P102	Keep out of reach of children
P103	Read label before use
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash with soap and water thoroughly after handling



Safety Data Sheet

SDS No. MCKPA

P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P284	[In case of inadequate ventilation] wear respiratory protection
P303+P352	IF ON SKIN (or hair): Wash with plenty of soap and water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P314	Get medical advice/attention if you feel unwell
P332+P313	If skin irritation occurs: Get medical advice/attention
P333+311	If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician
P337+311	If eye irritation persists: Call a POISON CENTER or doctor/physician=
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed
P405	Store locked up
P501	Dispose of contents/container according to local, state, and federal laws

Hazards not otherwise classified (HNOC) or not covered by GHS: none known

Section 3 - Composition / Information on Ingredients

3.1 Substances

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910. 1200:

Name	CAS#	% by Weight
4,4' Methylene bis(phenylisocyanate) (MDI)	101-68-8	15%-35%
Benzene, 1,1'-methylenebis[4-isocyanato-] homopolymer	25686-28-6	5%-35%
Methylenediphenyl diisocyanate	26447-40-5	<1.5%

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.

Skin Contact: In case of skin contact, wash thoroughly with soap and water.

Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed: None known

4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures



Safety Data Sheet

GHS Compliant

SDS No. MCKPA

- 5.1 **Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam
- 5.2 **Special hazards arising from the substance or mixture:** None known.
- 5.3 **Advice for firefighters:** Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off “fuel” to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may product toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

- 6.1 **Personal Precautions, protective equipment and emergency procedures:**
Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.
- 6.2 **Environmental precautions:** No special environmental precautions required
- 6.3 **Methods and materials for containment and cleaning up:** Absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution

Section 7 - Handling and Storage

- 7.1 **Precautions for safe handling:**
Use good general housekeeping procedures. Wash hands after use
- 7.2 **Conditions for safe storage, including any incompatibilities:**
Keep container(s) tightly closed and properly labeled. Store in a cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers, and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.
- 7.3 **Specific end use(s):** These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

Section 8 – Exposure Controls / Personal Protection

- 8.1 **Control Parameters:**

4,4' Methylene bis(phenylisocyanate) (MDI)	OSHA PEL	CLV 0.02 ppm 0.2 mg/m3
	ACGIH TLV	TWA value 0.005 ppm

- 7.4 **Exposure controls:**

Respiratory Protections: Respiratory protection is not normally required when using this product with adequate ventilation. Should a respirator be needed, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143, and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges

Hand Protection: Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.



Safety Data Sheet

SDS No. MCKPA

Eye Protection: Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1919.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Other Protective Clothing/Equipment: Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

Section 9 - Physical and Chemical Properties**9.1 Information on basic physical and chemical properties:**

Appearance: amber liquid, Odor/Threshold: Musty odor pH: N/A Melting Point/Freezing Point: N37F Low/High Boiling Point: >390F Flash point: >300 F Evaporation Rate : N/A Flammability: f.p. at or above 200F UEL/LEL: N/A	Vapor Pressure: <0.00016 mmHg (68F) Vapor Density (Air=1): >1 Specific Gravity (H₂O=1, at 4C): 1.2 Water Solubility: Insoluble Partition Coefficient: N/A Auto-Ignition Temperature: N/A Decomposition Temperature: N/A Viscosity: 30-100 cPs % Volatile: 0% (v/v), 0% (w/w)
--	--

Section 10 - Stability and Reactivity

- 10.1 Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated. No corrosive effect on metal. Not fire propagating.
- 10.2 Chemical Stability:** These products are stable at room temperature in closed containers under normal storage and handling conditions.
- 10.3 Possibility of hazardous reactions:** Polymerization may occur. Reacts with water with formation of carbon dioxide. Risk of bursting.
- 10.4 Conditions to avoid:** N/A
- 10.5 Incompatible Materials:** Water (and moisture), amines, strong acids and bases, alcohols
- 10.6 Hazardous Decomposition Products:** Thermal oxidative decomposition can produce carbon oxides, nitrogen oxides, hydrogen cyanide, aromatic isocyanates, gases/vapors and traces of incompletely burned carbon compounds

Section 11 - Toxicological Information

11.1 Information on Toxicological Effects: Information extrapolated based on individual component data. Assessment of irritating effects: irritating to eyes, respiratory system and skin. Skin contact may result in dermatitis, either irritative or allergic.

Skin Corrosion/Irritation: Draize test (rabbit): irritating (based on MDI)

Serious Eye Damage/Irritation: Draize test (rabbit): irritating (based on MDI)

Respiratory/Skin Sensitization:

Buehler test (guinea pig): sensitizing

Mouse Local Lymph Node Assay (LLNA): sensitizing, can cause skin sensitization

Studies in animals suggest that dermal exposure may lead to pulmonary sensitization.



However, the relevance of this result for humans is unclear.

Germ Cell Mutagenicity: N/A

Carcinogenicity: A carcinogenic potential cannot be excluded after prolonged exposure to severely irritating concentrations. These effects are not relevant to humans at occupational levels of exposure.

OECD Guideline 453 rat inhalation 0, 0.2, 1, 6 mg/m³ result: lung tumors.

Reproductive Toxicity: Repeated inhalation uptake of the substance did not cause damage to the reproductive organs. Assessment of teratogenicity showed that the substance did not cause malformations in animal studies, however toxicity to development was observed at high doses that were toxic to the parental animal.

Development:

OECD Guideline 414 rat inhalation 0, 1, 4, 12 mg/m³

NOAEL Mat: 4 mg/m³

NOAEL Teratogenic: 4mg/m³

Specific Target Organ Toxicity - Single Exposure: causes temporary irritation of the respiratory tract.

Specific Target Organ Toxicity - Repeated Exposure: no data

Acute Toxicity: calculated based on MDI

LD50 oral (rat): >6250 mg/kg

LC50 inhalation (rat): >6.25 mg/l (OECD Guideline 403)

LD50 dermal (rabbit): >0.6 mg/m³; LOAEL: 3.1 mg/m³ (based on MDI)

Aspiration Hazard: N/A

Potential Health Effects - Miscellaneous: None known

Section 12 - Ecological Information

12.1 Toxicity:

LC0 (96 h): > 1,000 mg/l *Brachydanio rerio* (OECD Guideline 403)

EC50 (24 h): > 1,000 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

EC0 (72 h): 1,640 mg/l (growth rate), *Scenedesmus subspicatus*, ((OECD Guideline 201, static)

12.2 Persistence and Degradability:

Poorly biodegradable (0% BOD OECD Guideline 302 C). This product is unstable in water. The elimination data also refer to products of hydrolysis.

12.3 Bioaccumulative Potential:

Significant accumulation in organisms is not to be expected.

Bioconcentration factor 200 (28 d) *Cyprinus carpio* (OECD Guideline 305 E)

12.4 Mobility in Soil:

Adsorption to solid soil phase is not expected.

12.5 Other Adverse Effects:

The substance will not evaporate into the atmosphere from the water surface.

13 - Disposal Considerations

13.1 Waste Treatment Methods: Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Parts 261. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.



Safety Data Sheet

GHS Compliant

SDS No. MCKPA

Section 14 - Transport Information

Not classified by DOT, IATA, or IMDG

- 14.1 UN Number: N/A
- 14.2 UN Proper Shipping Name: N/A
- 14.3 Transport Hazard Class(es): N/A
- 14.4 Packing Group: N/A
- 14.5 Environmental Hazards: N/A

Section 15 - Regulatory Information

15.1 Safety Health and environmental regulation/legislation specific for the substance or mixture:
In the United States (EPA Regulations):

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazard(s): Acute, Chronic

SARA 313 Components:

CAS	Chemical Name	Concentration
101-68-8	4,4" Methylene bis(phenylisocyanate) (MDI)	15%-35%

California Proposition 65: This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

15.2 Chemical safety assessment: No chemical safety assessment has been carried out for this substance/mixture by the supplier.

Section 16 - Other Information

HMIS	
H	2
F	1
R	1



NFPA

SDS Version: 2

Date Prepared: 6/26/18

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CASChemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIPChemical Hazard Information



Safety Data Sheet

SDS No. MCKPA

and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of The Monster Makers, Inc. regardless of the legal theory advanced, it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use. This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH). Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.

**Section 1 - Identification**

- 1.1 Product Identifier:** Monster Cast Kit Part B
- 1.2 General Use:** Polyurethane Elastomer
- 1.3 Manufacturer:** The Monster Makers, Inc.,
13597 West Parkway Rd., Cleveland, OH 44135
Phone: (216) 671-8700
sales@monstermakers.com
- 1.4 Emergency Contact:** Chem-Tel
Domestic: 800-255-3924 International 813-248-0585

Section 2 - Hazards

- 2.1 Classification of the substance or mixture**
Not a hazardous substance or mixture according to United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) and Regulation (EC) No 1272/2008 and subsequent amendments.

2.2 GHS Label elements, including precautionary statements

Pictograms: None

Signal Word: none

General :

P101	If medical advice is needed, have product container or label at hand
P102	Keep out of reach of children
P103	Read label before use

Hazards not otherwise classified (HNOC) or not covered by GHS: none known

Section 3 - Composition / Information on Ingredients**3.1 Substances**

No ingredients are hazardous according to 2012 OSHA Regulation 29 CFR 1910.1200 criteria.

Section 4 - First Aid Measures**4.1 Description of first aid measures**

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.

Skin Contact: In case of skin contact, wash thoroughly with soap and water.

Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed: None known**4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.**

**Section 5 - Fire-Fighting Measures**

- 5.1 Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam
- 5.2 Special hazards arising from the substance or mixture:** None known.
- 5.3 Advice for firefighters:** Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may product toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

- 6.1 Personal Precautions, protective equipment and emergency procedures:**
Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.
- 6.2 Environmental precautions:** No special environmental precautions required
- 6.3 Methods and materials for containment and cleaning up:** absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution

Section 7 - Handling and Storage

- 7.1 Precautions for safe handling:**
Use good general housekeeping procedures. Wash hands after use
- 7.2 Conditions for safe storage, including any incompatibilities:**
Keep container(s) tightly closed and properly labeled. Store in a cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers, and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.
- 7.3 Specific end use(s):** These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

Section 8 – Exposure Controls / Personal Protection

- 8.1 Control Parameters:** None defined
- 8.2 Exposure controls:**
Respiratory Protections: Respiratory protection is not normally required when using this product with adequate ventilation. Should a respirator be needed, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143, and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges
- Hand Protection:** Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.
- Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR



Safety Data Sheet

SDS No. MCKPB

1919.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Other Protective Clothing/Equipment: Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

Section 9 - Physical and Chemical Properties**9.1 Information on basic physical and chemical properties:**

Appearance: translucent viscous liquid, Odor/Threshold: Mild to sweet odor pH: N/A (non-aqueous) Melting Point/Freezing Point: N/A Low/High Boiling Point: N/A Flash point: >300 F Evaporation Rate : N/A Flammability: f.p. at or above 200F UEL/LEL: N/A	Vapor Pressure: None (Polymeric Resin) Vapor Density (Air=1): >1 Specific Gravity (H2O=1, at 4C): 1.07 Water Solubility: Insoluble Partition Coefficient: N/A Auto-Ignition Temperature: N/A Decomposition Temperature: N/A Viscosity: 20,000-30,000 centipoise % Volatile: Nil
---	--

Section 10 - Stability and Reactivity

- 10.1 Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated. No corrosive effect on metal. Not fire propagating.
- 10.2 Chemical Stability:** These products are stable at room temperature in closed containers under normal storage and handling conditions.
- 10.3 Possibility of hazardous reactions:** Hazardous polymerization cannot occur.
- 10.4 Conditions to avoid:** N/A
- 10.5. Incompatible Materials:** strong bases and acids
- 10.6 Hazardous Decomposition Products:** Thermal oxidative decomposition can produce carbon oxides, gasses/vapors and traces of incompletely burned carbon compounds

Section 11 - Toxicological Information**11.1 Information on Toxicological Effects**

Skin Corrosion/Irritation: N/A

Serious Eye Damage/Irritation: N/A

Respiratory/Skin Sensitization: N/A

Germ Cell Mutagenicity: N/A

Carcinogenicity: No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, NTP, or OSHA

Reproductive Toxicity: N/A

Specific Target Organ Toxicity - Single Exposure: N/A

Specific Target Organ Toxicity - Repeated Exposure: N/A

Acute Toxicity: (calculated)



Aspiration Hazard: N/A

Potential Health Effects - Miscellaneous: None known

Section 12 - Ecological Information

- 12.1 Toxicity: N/A
- 12.2 Persistence and Degradability: N/A
- 12.3 Bioaccumulative Potential: N/A
- 12.4 Mobility in Soil: N/A
- 12.5 Other Adverse Effects: N/A

13 - Disposal Considerations

13.1 Waste Treatment Methods: Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Parts 261. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

Section 14 - Transport Information

Not classified by DOT, IATA, or IMDG

- 14.1 UN Number: N/A
- 14.2 UN Proper Shipping Name: N/A
- 14.3 Transport Hazard Class(es): N/A
- 14.4 Packing Group: N/A
- 14.5 Environmental Hazards: N/A

Section 15 - Regulatory Information

15.1 Safety Health and environmental regulation/legislation specific for the substance or mixture: In the United States (EPA Regulations):

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazard(s): None

SARA 313 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.

California Proposition 65: This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

15.2 Chemical safety assessment: No chemical safety assessment has been carried out for this substance/mixture by the supplier.



Section 16 - Other Information

HMIS	
H	1
F	0
R	0



NFPA

SDS Version: 2**Date Prepared:** 7/2/18

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CASChemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIPChemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRAEmergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQTexas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of The Monster Makers, Inc. regardless of the legal theory advanced, it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use. This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH). Classifications of the chemical in accordance with 29 CFR



Safety Data Sheet

GHS Compliant

SDS No. MCKPB

1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.